

TECHNICAL DATASHEET

POWER BANK - 10000 mAH



TECHNICAL SPECIFICATION

Model No. : -

Component Group : Power Bank

Cell Chemistry : Li-ION

Nominal Voltage : 3.7 V

Rated Ah Capacity : 10000 mAh

Input Power Supply : DC Input

Input Voltage/Current : 5V/ 2 A (Max)

Input Port Type : USB Type-B Micro

Output Power Supply : DC Output

Output Voltage/Current : 3.7 V/ 1 A & 2 A (Fast Charging)

Output Port Type : USB Type-A

Fast Charging Port : Yes (One of the USB Port)

Power Bank Dimensions : $(145L \times 65W \times 25H) \pm 5 \text{ mm}$

Power Bank Weight (gm) : $275 \pm 10 \text{ gm}$

Power Bank Housing : ABS

Body Color : White


Warranty Period : 6 Months

Other Features

- ✓ Stylish & Light in weight & can be carried around with ease
- ✓ A Very Durable & Compact Power bank to meet all your phone charging needs
- ✓ Charge Multiple Devices simultaneously with 3 USB Outputs
- ✓ Fast Charging Feature
- ✓ LED Indicators that show the Status of Power Bank
- ✓ White LED Torch Light



Functions Description



<u>Charging Port – 1 Nos.</u>

Charge Power bank at this point by using charging Adapter (Output- 5V 2 A max.)

<u>Discharging Port – 3 Nos.</u>

Charge your different devices like Mobile, Tab, Bluetooth Speaker, iPod, Etc.

LED Indicators-4

Status	Capacity	L1	L2	L3	L4
Charging	0-25 %				
	25-50%				
	50-75%				
	≥75 %				
Discharging	0-25 %				
	25-50%				
	50-75%				
	≥ 75 %				

Power Button

- A. Single Press
 Indicates the Charging Capacity Remaining in
 Power Bank (LED Indicators-4)
- B. Double Press
 ON/OFF control of White LED Torch Light











WAAREE ESS YOUR POWER INSURANCE

Plot no. 334, RAJKAMAL CHOWKADI, ROAD NO-3, SACHIN GIDC, SURAT-394230, GUJARAT.

Email Id.- crm@wess.co.in

Website- www.waareeess.com